



NIGHT-LITE™

GR-SERIES CHAIN

Simpler, lighter, lower cost, the **Night-Lite™ GR-Series Chain** light tower brings tow-ability to chain towers providing the most easily deployed and easy-to-manuever unit in its class. Flexibility in power is inherent with this unit allowing for any power source with 15 amp or 20 amp connections to illuminate a job site. To increase the impact of the **Night-Lite™ GR-Series Chain** tower, the ability to daisy chain units is a built-in feature. Four LED fixtures with 147,344 total lumens will provide plenty of light for any space. This unit saves money immediately shipping 20 units on a truck.



KEY FEATURES

Night-Lite™ GR-Series Chain

(4) LED Light Fixtures 250W each lamp

SMD style LEDs

Max Height
23 ft (7 m)

Height
Transport Position
8.2 ft
(2,489.2 mm)

Width

4 ft (1,244.6 mm)

Mast
Flexible lighting with a vertical mast extending to 23 feet

Vertical Tower
Easy to raise and lower with a dual-handle manual winch

359 Degree Rotation
Increase flexibility in light spread

Foldable Tongue
Takes up less space on the job-site and in your yard

Standard Trailer Coupler 2" Ball

Lifting Eye

Stabilizers
Steel tongue jack foldable with dual pins, 3 point outriggers

Heavy-duty Leveling Jacks

Easy Access
Wide area rear door for ease of access maintenance

Welded steel frame with lockable door

Length

6.4 ft (1,955.8 mm)

Controls

Simple, easy to use

Chaining Capability

Up to two units off a single power source

15amp Connector

20amp Connector

Timer

Programmable on/off functionality

Photocell

Dawn to dusk on/off functionality

CSA Approved

Removable Storage Box

Cord and other tool storage

Space for Inverter


Remove storage box for space to store a power source on the unit

Compact Design

fit 20 units on a 48 ft flatbed, 22 units on a 53 ft flatbed more units for the same shipping cost


Forklift Pockets

easily load and unload equipment



Model	Night-Lite™ GR-Series Chain
Power Consumption - Per Fixture (W)	250
Lumens Per Fixture	36,836
Lumens - Total	147,344
LED Life (hrs)	50,000
Weights & Shipping	
Weight lbs (kg)	750 (340.1)
Number of Units on 48' Flatbed	20
Number of Units on 53' Flatbed	22

LIGHT COVERAGE



Night-Lite™ GR-Series®
with 4 - 250 W LED Light Output

Area Lit to .5 Foot Candle (ft-c)
or Higher: 34,650 ft²



COMPROMISE NOTHING.

At Allmand, our sole focus is providing jobsite support equipment to help your customers get the job done. Whenever they need it. Wherever they are. And whatever it takes. What's more, our genuine commitment to you — the highest standard of service and lowest total cost of ownership — is simply unmatched. Choose the equipment that comes with complete confidence that jobsite productivity won't go dark at 2 a.m.

Allmand. Above All.

www.allmand.com

NLGR-0220

Allmand[®]

ALLMAND BROS., INC.
A subsidiary of Briggs & Stratton Corporation
P.O. Box 888, Holdrege, NE 68949
Copyright ©2019. All rights reserved.